



UNITED STATES PATENT AND TRADEMARK OFFICE

AK

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/890,364	07/30/2001	Paulus Cornelis Duineveld	PHN-17.755	1912
24737	7590	10/27/2003	EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510			LEURIG, SHARLENE L	
			ART UNIT	PAPER NUMBER
			2879	

DATE MAILED: 10/27/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/890,364

Applicant(s)

DUINEVELD ET AL.

Examiner

Sharl ne Leurig

Art Unit

2879

-- The MAILING DATE of this communication appears on th cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 August 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Response to Amendment

1. The amendment filed on August 20, 2003, has been entered and acknowledged by the Examiner. Claims 1 and 5 have been amended.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 1-10 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claims 1 and 5 recite the limitation of an "electroluminescent layer [that] is substantially uniform in thickness to the extent that the proportion of the organic electroluminescent layer having a thickness within 20% of the minimum thickness of the organic electroluminescent layer or the proportion of the organic electroluminescent layer having a thickness within 20% of the maximum thickness of the organic electroluminescent layer, is at least 0.55 and less than 1.0". Nowhere does the specification describe a layer that must be imperfect. Though the specification discloses the problem of non-uniformity in the OEL layer due to the relief pattern, the specification

only discloses a proportion of uniformity that is "at least 0.60 or, preferably, at least 0.65 or, more preferably, at least 0.70, still more preferably, at least 0.80. Most preferred at least 0.90 or 0.95" (pages 2, 3, 7, 9 and 11). However, the disclosure does not limit the uniformity of the organic electroluminescent layer from being equal to 1.0. Indeed, the wording of "Most preferred at least 0.90 or 0.95" allows a uniform proportion of greater than 0.95 and including 1.0. Therefore the disclosure fails to recite the newly amended limitation. For the purposes of examination, the claims will be interpreted as meaning that the proportions of the OEL layer are greater than 0.55, up to and including 1.0.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-6 and 9-10 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Nagayama et al. (EP 0 732 868 A1) (of record) in view of Ilegems et al. (6,208,074) (of record).

Regarding claim 1, Nagayama discloses an organic electroluminescent device comprising a first electrode (Fig. 3, element 3) and a second electrode (9) with an organic electroluminescent layer (8) provided in accordance with a desired pattern and obtained from a fluid layer in between. The device has a relief pattern (Fig. 8a, element 7) for containing the organic fluid layer (Fig. 8A, element 8R).

Regarding claim 2, Nagayama discloses a device having a relief pattern having a transverse profile with an overhanging section (Fig. 6B, element 71) rendering the relief pattern suitable for patterning the second electrode (Fig. 8D, element 9).

Regarding claim 3, Nagayama discloses a device having a relief pattern that is a composite relief pattern of a first relief pattern (Fig. 6B, element 70) for containing the fluid layer (Fig. 8A, element 8R) and a second relief pattern having an overhanging section (Fig. 6B, element 71) rendering the second relief pattern suitable for patterning the second electrode (Fig. 8D, element 9).

Regarding claim 4, Nagayama discloses a device comprising a plurality of independently addressable electroluminescent elements since the adjacent cathodes (Fig. 8D, element 9) are "electrically disconnected to each other," allowing for separate control of each element (column 11, line 20).

Regarding claim 5, Nagayama discloses a device formed by first providing a first electrode (column 4, line 9), providing a relief pattern for containing a fluid layer from which an organic electroluminescent layer provided in accordance with a desired pattern is obtainable (column 4, lines 12-17), depositing a fluid layer contained by the relief pattern (column 4, lines 18-22 and column 10, lines 17-24), and providing on the organic electroluminescent layer a second electrode (column 4, lines 23-24).

Regarding claim 6, Nagayama discloses a device in which the fluid layer is deposited to a predetermined thickness (column 10, line 15) in the boundaries of a relief pattern but lacks the limitation of a fluid layer gelling when the fluid surface of the fluid layer is approximately level with the top of the relief pattern. However, it would have

been obvious to one having ordinary skill in the art at the time the invention was made to deposit the fluid layer so that it would gel when the fluid surface of the fluid layer is approximately level with the top of the relief pattern, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Regarding claim 10, Nagayama discloses a device having a relief pattern with a height of 3 to 5 μm (column 8, line 32).

While Nagayama discloses an organic electroluminescent device with all the limitations discussed above, he lacks an electroluminescent layer that is substantially uniform in thickness to the extent that the proportion of the organic electroluminescent layer having a thickness within 20% of the minimum thickness of the organic electroluminescent layer or the proportion of the of the organic electroluminescent layer having a thickness within 20% of the maximum thickness of the organic electroluminescent layer, is at least 0.55. However, Nagayama discloses an organic electroluminescent layer of 700 angstroms in thickness.

It is well known in the art that an organic electroluminescent layer with a uniform thickness has more consistent luminescence than one of widely varying thickness. Illegems teaches the use of spin-coating to provide an organic electroluminescent layer with a "perfectly uniform thickness" (column 4, line 50). Any layer of perfectly uniform thickness inherently fulfills the claimed limitation of a layer where the proportion of the layer having a thickness within 20% of the minimum thickness of the organic electroluminescent layer or the proportion of the of the organic electroluminescent layer

having a thickness within 20% of the maximum thickness of the organic electroluminescent layer, is at least 0.55.

Regarding claims 1 and 5, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Nagayama's organic electroluminescent device with an organic electroluminescent layer of perfectly uniform thickness formed by spin-coating in order to provide a device with more uniform luminescence.

6. Claim 7 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Nagayama et al. (EP 0 732 868 A1) (of record) in view of Ilegems et al. (6,208,074) (of record) as applied to claims 1-6 and 9-10 above, and further in view of Kobayashi et al. (6,388,377) (of record).

Nagayama discloses an organic electroluminescent device with all the limitations discussed above but lacks a perfectly uniform organic electroluminescent layer as taught by Ilegems. Neither Nagayama nor Ilegems discloses a fluid layer deposited by means of ink-jet printing.

However, it is well known in the art to substitute ink-jet printing for any other deposition method in light of its efficiency and accuracy.

Kobayashi teaches the use of ink-jet printing to deposit organic electroluminescent material in accordance with a desired pattern on an electrode (column 2, line 53). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Nagayama's organic electroluminescent device with an organic electroluminescent layer of perfectly uniform thickness in order to

provide a device with more uniform luminescence and to deposit the fluid layer by means of ink-jet printing in order to improve the efficiency and accuracy of the deposition.

7. Claim 8 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Nagayama et al. (EP 0 732 868 A1) (of record) in view of Ilegems et al. (6,208,074) (of record) as applied to claims 1-6 and 9-10 above, further in view of Kobayashi et al. (6,388,377) (of record) as applied to claim 7 above, and further in view of Speakman (6,503,831) (of record).

Nagayama discloses an organic electroluminescent device with all the limitations discussed above but lacks a perfectly uniform organic electroluminescent layer as taught by Ilegems. Neither Nagayama nor Ilegems discloses a fluid layer deposited by means of ink-jet printing. Kobayashi teaches ink-jet printing as a deposition method but does not disclose a continuous jet of fluid.

Speakman teaches using a continuous ink-jet printing method to deposit fluids (column 10, lines 18-22) on electronic devices such as organic electroluminescent displays. The term "continuous" is interpreted to mean providing a continuous jet of fluid.

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the ink-jet printing method of Kobayashi as it is applied to the organic electroluminescent device of Nagayama to dispense fluid continuously, as it is well known in the art to practice continuous ink-jet printing, as taught by Speakman.

Response to Arguments

8. Applicant's arguments filed on August 20, 2003 have been fully considered but they are not persuasive. The applicant has argued that the claimed invention is patentable over the prior art because the applied references neither teach nor suggest the patentable feature of an "electroluminescent layer [that] is substantially uniform in thickness to the extent that the proportion of the organic electroluminescent layer having a thickness within 20% of the minimum thickness of the organic electroluminescent layer or the proportion of the organic electroluminescent layer having a thickness within 20% of the maximum thickness of the organic electroluminescent layer, is at least 0.55 and less than 1.0". The Examiner cannot find disclosure in the specification of an OEL layer whose uniformity must be less than 1.0. As cited in the rejection under 35 U.S.C. 112, second paragraph, the specification only discloses a proportion of uniformity that is "at least 0.60 or, preferably, at least 0.65 or, more preferably, at least 0.70, still more preferably, at least 0.80. Most preferred at least 0.90 or 0.95" (pages 2, 3, 7, 9 and 11). Such preferred proportions do not exclude a uniformity of greater than 0.95, up to and including 1.0. The specification describes a goal of improving the uniformity of the device, not preventing perfect uniformity. Therefore for the purposes of examination the claims have been interpreted as allowing a proportion of uniformity of greater than 0.55 and up to 1.0, which the combination of Nagayama and Illegems teaches, as Illegems teaches a perfectly uniform layer.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharlene Leurig whose telephone number is (703)305-4745. The examiner can normally be reached on Monday through Friday, 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on (703)305-4794. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 09/890,364

Page 10

Art Unit: 2879

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

Sharlene Leurig



VIP PATEL
PRIMARY EXAMINER